



T1S - R6E. 2nd Mer.



T2S - R6E. 2nd Mer.



Township No. 1. S. R. 6. E. 2. Sec.
Indiana

- East Base line continued
 40.00 Brook 50 Mrs. wide course South
 37.75 Brook course South 50 Mrs. wide
 40.00 Set $\frac{1}{2}$ mile post in the same brook N. W. from which a
 Poplar 5 ins. dia. bears S 56 W 52 Mrs. & a W. Oak 10
 ins. dia. bears S 68 E 53 Mrs.
 40.50 East side of the brook where it runs from the North
 40.75 Go a Sugar-tree 20 ins. dia
 58.00 Cleft of Rocks.
 80.00 Set post corner of Sec. No. 31 & 32 T. 1. S. R. 6. E.
 from which a B. Oak 5 ins. dia. bears S 42 W 3 Mrs. &
 a B. Oak 10 ins. dia. bears N 75 E 23 Mrs. This mile
 over high steep hills some Pine

- East Base line continued
 11.20 Go a Hickory 18 ins. dia
 40.00 Set $\frac{1}{2}$ sec. post from which a Buck 20 ins. dia. bears S
 67 W 8 Mrs. & a Buck 10 ins. dia. bears N 78 E 24 Mrs.
 68.56 Go a White Oak 20 ins. dia
 80.00 Set post corner of Sec. No. 32 & 33. T. 1. S. R. 6. E.
 from which a W. Oak 12 ins. dia. bears N 81 W 20 Mrs.
 & a Buck 8 ins. dia. bears S 33 W 16 Mrs. — Land
 broken timber principally Oak

- East Base line continued
 38.50 Brook 10 Mrs. wide course S. E.
 40.00 Set $\frac{1}{2}$ mile post from which a B. Oak 20 ins. dia. bears
 N 58 E 9 Mrs. & an Elm 10 ins. dia. bears S 71 W 19 Mrs.
 43.00 a Brook 15 Mrs. wide course South
 80.00 Set post corner of Sec. No. 33 & 34 T. 1. S. R. 6. E.
 from which a B. Oak 8 ins. dia. bears N 76 W 43 Mrs. &
 a B. Oak 8 ins. dia. bears S 21 W 3 $\frac{1}{2}$ Mrs. Land very thin
 but the hills not so high

T. L. R. S. E. of Mer.

East Base line continued

19.93 At post on the West line of Clark's grant
from which a White Oak 20 ins. dia. bears N 66
E 13 W. & another White Oak 20 ins. dia. bears
S 66 W 9 W

Surveyed by Arthur Minnie, D. S.

On the Grant line began at the line between
Towns 1 and 2

N 76 E 81.22 To a post between Sec. Nos. 26 & 35
N 76 E 42.18 To a post between Sec. Nos. 25 & 26
N 76 E 39.59 To a post between Sec. Nos. 24 & 25
N 76 E 81.41 To a post between Sec. Nos. 13 & 24
N 200 E 65.82 To a W. Oak & Dogwood at an offset
N 35.00 W 18.14 To a post between Sec. Nos. 13 & 12
N 35.00 W 37.03 To a post between Sec. Nos. 12 & 11
N 35.00 W 91.81 To a post between Sec. Nos. 2 & 11
N 35.00 W 76.50 To a post between Sec. Nos. 2 & 3
N 35.00 W 68.02 To a post in the Town line on Base line

Surveyed by ———
Jacob. Fowler.

South Boundary

East Between Towns 1 & 2, Range 6 E. T. Mer.

10.00 a Brook 10 hrs. wide Cr. South
15.65 a Poplar 20 in. dia.
35.00 a Sycamore 24 in. dia.
38.50 a Brook 50 hrs. wide Cr. S. W.
40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears N 59 E 24 hrs. dist. &
a Cherry 20 " " " S 75 W 23 " "
47.25 a Brook 10 hrs. wide Cr. S. W.
52.25 a Beech 15 in. dia.
80.00 a Chestnut 20 in. dia. marked for Cor to Sec. 31 & 32, T. 1 S.
R. 6 E. — This mile over good farming land.

T. S. R. C. E. 2nd Mer. Indiana

East Between Towns 1 & 2 S. Range 6 E.

0.25 a Chestnut 29 in. diam.

40.00 At the q. Sec. post, from which
a Beech 20 in. diam. bears S 53 E 20 lks. dist. of
a W. Oak 10 " " " N 79 W 10 1/2 " "80.00 At a post cor. to Sec. 32 & 33, from which
a Chestnut 40 in. diam. bears N 70 W 23 lks. dist. of
a Dogwood 7 " " " S 88 E 23 " "

This mile over bushy broken soil, timber Chestnut & Oak.

East Between Towns 1 & 2 S. Range 6 E.

40.00 At the q. Sec. post, from which
a Gum 15 in. diam. bears N 31 W 8 lks. dist. of
a Hickory 5 " " " South 3 " "

51.20 a Poplar 20 in. diam.

66.50 a Brook 10 lks. wide Cr. North

80.00 At a post corner to Sec. 33 & 34, T. S. R. C. E., from which
a Poplar 20 in. diam. bears N 9 W 17 lks. dist. of
a Beech 10 " " " S 27 E 13 " "

Over Broken rich soil.

East Between Towns 1 & 2 S. Range 6 E.

33.13 a Beech 20 in. diam.

35.00 a Brook 15 lks. wide Cr. S. W.

40.00 At the q. Sec. post from which
a Beech 6 in. diam. bears S 7 W 15 lks. dist. of
a Sugar 10 " " " S 70 E 21 " "80.00 At a post cor. to Sec. 34 & 35, T. S. R. C. E., from which
a Dogwood 5 in. diam. bears S 8 E 15 1/2 lks. dist. of
a Do 5 " " " N 4 W 8 1/2 " "

Land the same.

East Between Towns 1 & 2 S. Range 6 E.

30.00 top of a high hill the E. side very steep descent

40.00 At the q. Sec. post, from which
a Maple 12 in. diam. bears S 62 W 24 lks. dist. of

T1S. R6E. D. Mer Indiana

a Dogwood 6 mi. diam. bear N 36 W 15 lks. dist.
 66.00 Intersected the W. boundary of Clark's Grant, S.E.
 Cor. of Sec. 35, T1S. R6E, from which
 a W. Oak 10 mi. diam. bear S 66 E 20 lks. dist. &
 a Chestnut 24 " " " N 6 W 47 " "
 No description given.

West Boundary

North On E. boundary of Sec. 36, T1S. R5E.

7.60 a P. Oak 20 mi. diam.
 40.00 At the q. Sec. post, from which
 a P. Oak 4 mi. diam. bear N 3 E 13 lks. dist. &
 a Hickory 5 " " " S 52 E 15 " "
 80.00 At a post Cor. to Sec. 25 & 36, T1S. R5E, from which
 a P. Oak 5 mi. diam. bear S 9 W 8 lks. dist. &
 a Chestnut 6 " " " N 81 E 11 " "
 This mile over very bushy thin broken Soil. Aug. 20. 1806

North On E. boundary of Sec. 25, T1S. R5E.

21.25 a P. Oak 25 mi. diam. bear
 40.00 At the q. Sec. post, from which
 a Dogwood 7 mi. diam. bear S 6 E 28 lks. dist. &
 a Do 6 " " " N 17 E 21 " "
 40.50 a P. Oak 29 mi. diam.
 80.00 At a post Cor. to Sec. 24 & 25, T1S. R5E, from which
 a Hickory 10 mi. diam. bear N 63 E 14 lks. dist. &
 a Poplar 6 " " " S 19 W 5 " "
 This mile over very broken Oak & Hickory timbered Soil

North On E. boundary of Sec. 24, T1S. R5E.

40.00 At the q. Sec. post, from which
 a P. Oak 12 mi. diam. bear S 4 E 16 lks. dist. &
 a W. Oak 6 " " " S 76 E 3 " "
 80.00 At a post Cor. to Sec. 13 & 24, T1S. R5E, from which
 a P. Oak 7 mi. diam. bear S 18 E 13 lks. dist. &
 a Chestnut 8 " " " N 38 W 11 " "

T1S R6E. 2^d. Mer. Indiana

This mile over very bushy hilly Soil timb. principally Oak

North On E. boundary of Sec. 13, T1S, R5E.

9.50 a Brook 10 lks. wide Cr. S.W.

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. bears S10 E 6 lks. dist. &

a Chestnut 5 " " " S88 W 9 " "

80.00 Set a post Cor. to Sec. 12 & 13, T1S, R5E, from which

a Beech 10 in. dia. bears S68 W 43 lks. dist. &

a W. Oak 15 " " " N68 E 46 " "

Land the same very high trees

North On E. boundary of Sec. 12, T1S, R5E

1.50 a Brook 20 lks. wide Cr. S.E.

34.35 a Do 10 " " " S.E.

40.00 Set the q. Sec. post, from which

a Poplar 5 in. dia. bears S15 W 11 lks. dist. &

a W. Oak 8 " " " N47 W 25 " "

80.00 Set a post, Cor. to Sec. 1 & 12, T1S, R5E, from which

a Beech 12 in. dia. bears N66 W 26 lks. dist. &

a Do 24 " " " S37 E 5 " "

This mile over middling farming land, timb. beech & oak.

North On E. boundary of Sec. 1, T1S, R5E

20.00 a Brook 25 lks. wide Cr. East

40.00 Set the q. Sec. post, from which

a Beech 20 in. dia. bears S30 W 22 lks. dist. &

a Do 10 " " " N54 W 32 " "

130.00 a Brook 20 lks. wide Cr. West

137.50 a W. Oak 10 in. dia. Marked for Cor. to Town 15.

Ranges 5 & 6 E, on the Base line,

Very hilly thin Soil

Surveyed in 1806, by Arthur Murrie,

Dep'ty. Sur.

Subdivision.

M. I. L. R. C. E. of Mer. Ind.

North Between Sec. No. 34 & 35 Township No. 1 South Range No. 6 East

30.50 a White Oak 25 ins. dia

40.00 $\frac{1}{2}$ mile post, from which a Gum 14 ins. dia. bears N 31 W 6 lbs. & a Gum 16 ins. dia. bears N 59 E 10 lbs.

57.88 Branch 6 lbs. wide course W

65.75 Branch 22 " "

73.25 Branch 7 " "

80.00 Mile post in the edge of barrens. W. Oak 6 ins. dia. bears 41 W 9 lbs. & a W. Oak 8 ins. dia. bears N 83 E 9 lbs. Low riges Oak, Beech Poplar & Hickory

East Between Sec. No. 26 & 35

15.00 Top of Knobs

40.00 $\frac{1}{2}$ mile post - L. Oak 14 ins. dia. bears N 21 E 54 lbs. & L. Oak 12 ins. dia. bears S 39 W 46 lbs.

76.38 To a post in the Grant line - P. Oak 7 ins. dia. bears S 6 W 44 lbs. & a W. Oak 16 ins. dia. bears N 10 W 32 lbs. Milky Oak & Hickory - Barrens to the Knobs.

North Between Sec. No. 26 & 24

23.20 Poplar 12 ins. dia

25.00 Top of Knobs

40.00 $\frac{1}{2}$ mile post in the Knobs - L. Oak 8 ins. dia. bears N 37 E 13 lbs. & W. Oak 16 ins. dia. bears S 16 W 21 lbs.

50.00 Road from Springville to Vincennes

80.00 Mile post in the Knobs - L. Oak 22 ins. dia. bears N 49 E 24 lbs. & Hickory 10 ins. dia. bears N 12 W 20 lbs. - Barrens to the Knobs, Oak Chestnut, Hickory

North Between Sec. No. 33 & 34

29.75 Poplar 13 ins. dia

40.00 $\frac{1}{2}$ mile post. - Gum 16 ins. dia. bears N 55 E 25 lbs. & a Gum 15 ins. dia. bears S 58 W 42 lbs.

76.62 P. Oak 21 ins. dia.

80.00 Mile post - Chestnut 15 ins. dia. bears N 81.30 W

361

T. A. L. R. C. E. of Mer. Ind.

20 lbs. & a Hickory 21 ins. dia. bears \$57 E 29 lbs.
 Low ridges W. Oak, B. Oak Buck Poplar and
 Chestnut.

East Between Secs. Nos. 27 & 28

31.50 Branch 6 lbs. wide course North

40.00 Temporary post

80.06 30 lbs. North of Post

West True line

40.03 W. Oak 10 ins. dia. bears \$53 E 8 lbs. & a W. Oak
 13 ins. dia. bears \$67 W 9 lbs. Low ridges, some
 broken, Oak, Buck, Poplar & Chestnut

North Between Secs. Nos. 27 & 28

39.30 Branch 30 lbs. wide course West

40.00 $\frac{1}{2}$ mile post - Buck 8 ins. dia. bears \$39 E 12 lbs.
 & a Buck 8 ins. dia. bears \$85 W 20 lbs

40.88 Road

55.75 Branch 25 lbs. wide course West

58.88 Do 6 " " " East

80.00 Mile post - B. Oak 7 ins. dia. bears \$61 E 27 lbs.
 & a B. Oak 10 ins. dia. bears \$25 W 38 lbs.

Ridgy barrens the last $\frac{1}{2}$ mile - Buck Oak &
 Poplar the 1st $\frac{1}{2}$ mile

East Between Secs. Nos. 22 & 27 - Random

18.50 Branch 46 lbs. wide course South

38.50 Do 10 " " " N 40 W.

44.00 Temporary post

72.00 Top of Knobs

81.00 Mile post

West Blazed back

40.50 $\frac{1}{2}$ mile post - W. Oak 16 ins. dia. bears \$80 W 9
 lbs. & a W. Oak 14 ins. dia. bears \$86 E 13 lbs.

M. I. L. R. C. E. of Moors

The 1st 30.00 - barrens & brush, hilly generally
Oak & Hickory

North Between Sec. No. 32 & 33

- 30.62 Poplar 42 ins. dia
34.50 Branch 6 lbs. wide course N 40 W
40.00 $\frac{1}{2}$ mile post - Gum 16 ins. dia. bears N 16 W
40 lbs. & a Chestnut 14 ins. dia. bears S 59 E 36 lbs.
54.50 Branch 16 lbs. wide course West
80.00 Mile post - Chestnut 24 ins. dia. bears S 2 E
15 lbs. & a Buck 13 ins. dia. bears S 72 E 24 lbs.
Hilly, Oak, Buck, Poplar, Ash & Chestnut.

East Between Sec. No. 28 & 33. Random

- 40.00 Temporary post
81.00 Hit the post

West Good line blazed

- 40.50 $\frac{1}{2}$ mile post - Poplar 12 ins. dia. bears N 85 W
48 lbs. & a R. Oak 12 ins. dia. bears N 75 E 68 lbs.
Ridges & brushy, some barrens Oak, Poplar &
Chestnut

North Between Sec. No. 28 & 29

- 20.00 Buck creek 25 lbs. wide course West
22.00 Road
40.00 Half mile post - Poplar 8 ins. dia. bears N 57
W 3 lbs. & a Chestnut 13 ins. dia. bears S 37 E 11 lbs.
52.50 White Oak 18 ins. dia
80.00 Mile post, - Chestnut 10 ins. dia. bears N 7 E 10
lbs. & a Chestnut 16 ins. dia. bears N 8 E 27 lbs.
Ridges brushy, Oak, Poplar & Chestnut, part
Barrens.

East Between Sec. 21 & 26. Random

- 40.00 Temporary post, Barrens

363

N. A. S. R. C. E. of Mer. Ind.

50.75 Hit the post

West In line of flag
Half mile post. W. Oak 20 ins. dia. bears
N 22 E 18 lbs. & B. Oak 22 ins. dia. bears S 75 E
30 lbs. - Pines & barrens, brushy, Oak & Hickory

East Between Sect. No. 23 & 24

35.00 Over - knots

32.88 W. Oak 30 ins. dia

40.00 Half mile post, W. Oak 16 ins. dia. bears N 53 E
9 lbs. & W. Oak 12 ins. dia. bears S 56 E 20 lbs.

56.00 Branch 10 lbs. wide course S 30 E

65.70 Buck 20 " "

80.00 Mile post, W. Oak 14 ins. dia. bears N 75 E 15 lbs.
& a Buck 14 ins. dia. bears S 23 E 38 lbs.
The last 1/2 mile level, Oak, Buck & Poplar

East Between Sect. No. 24 & 25

2.00 Branch 15 lbs. wide course South

4.90 Post on the Grant line - B. Oak 30 ins. dia. bears
N 49 W 21 lbs. & a W. Oak 10 ins. dia. bears S 34 W 9 lbs.

South Between Sect. No. 25 & 26

7.20 Road to Vincennes

28.50 Branch 10 lbs. wide course East

39.20 To post in the Grant line - Buck 10 ins. dia.
bears N 44 W 18 lbs. & a Buck 18 ins. dia. bears
S 38 W 38 lbs. Level, Buck and Oak.

North Between Sect. No. 23 & 24

5.00 Branch 10 lbs. wide course N 20 E

6.50 Do & " " " S 40 E

25.40 W. Oak 16 ins. dia

40.00 Half mile post. W. Oak 10 ins. dia. bears S 24 E
13 lbs. & a W. Oak 8 ins. dia. bears S 40 W 11 lbs.

S. A. S. R. C. E. of Mer.

54.50 Branch 10 hrs. wide course East
 79.70 Do 10 " " " "
 80.00 Mile post - R. Oak 24 ins. dia. bears S 25 E 35 hrs.
 & a Sycamore 36 ins. dia. bears N 86 W 18 hrs.
 Low ridges W & B. Oak

East Between Sect. Nos. 13 & 24
 1.00 Branch 10 hrs. wide course N 50 E.
 14.04 To a post in the Grant line - Hickory 7 ins. dia.
 bears S 19 W 23 hrs. & an Oak 8 ins. dia. bears N 34
 W 57 hrs. - Oak and Hickory

North Between Sect. Nos. 13 & 14
 19.58 Branch 10 hrs. wide course East
 40.00 Half mile post - R. Oak 12 ins. dia. bears N 32 E
 14 hrs. & a W. Oak 15 ins. dia. bears N 59 W 25 hrs.
 42.00 Branch 10 hrs. wide course East
 50.75 Beech 18 ins. dia.
 80.00 Mile post - Beech 8 ins. dia. bears N 30 W 13 hrs.
 & a W. Oak 14 ins. dia. bears N 60 E 21 hrs.
 Level, Oak, Beech, Poplar & Chesnut.

North Between Sect. Nos. 11 & 12
 16.44 To a post in the Grant line - W. Oak 24 ins. dia.
 bears S 50 W 16 hrs. & a W. Oak 12 ins. dia. bears N 89 W
 17 hrs. - Level Oak land, good for the plough.

East Between Sect. Nos. 12 & 13
 .62 Branch 10 hrs. wide course North
 11.50 To a post in the Grant line - W. Oak 12 ins. dia.
 bears N 63 W 46 hrs. & a W. Oak 12 ins. dia. bears
 S 65 W 46 hrs. - Level Oak land, good for the plough

North Between Sect. Nos. 22 & 23.
 9.50 Top of Knobs
 40.00 Half mile post. - Poplar 12 ins. dia. bears S 1 E

365

S. A. S. R. C. E. of Mer. Ind.

46 lbs. 4 a Poplar 10 ins. dia. bears N 77 W 14 lbs.
 45.50 Branch 7 lbs. wide course West
 60.00 Branch b " " "
 61.50 Chestnut 20 ins. dia
 80.00 Mile post - R. Oak 12 ins. dia. bears N 87 E 27 lbs.
 & R. Oak 8 ins. dia. bears N 62 W 31 lbs.
 Ridges, brushy, Oak, Poplar & Chestnut

East Between Sect. Nos. 14 & 23. Random
 8.00 Top of Finks
 14.00 Drain course S. 30 E.
 40.00 Temporary post
 55.50 Foot of Knobs
 81.28 Hit the post

West True line blazed
 40.64 Half mile post - Gum 13 ins. dia. bears S 130 W
 16 lbs. & a W. Oak 14 ins. dia. bears N 21.30 W 25 lbs.
 The 1st 1/2 mile high & steep Knobs, Oak Chestnut
 Pine & Poplar

North Between Sect. Nos. 15 & 14
 28.95 Hickory 20 ins. dia
 30.75 Branch 6 lbs. wide course West
 40.00 Half mile post - W. Oak 14 ins. dia. bears S 59
 W 27 lbs. & a C. Oak 10 ins. dia. bears S 78 E 11 lbs.
 42.00 Top of Knobs.
 52.50 Branch 6 lbs. wide course East
 80.00 Mile post - C. Oak 15 ins. dia bears N 74 E 19 lbs
 & a C. Oak 16 ins. dia. bears N 75 W 15 lbs.
 Hilley & brushy, Oak & Hickory

East Between Sect. Nos. 11 & 14. Random
 15.00 Branch 8 lbs. wide course North
 21.50 Do b " " "
 40.00 Temporary post

S. I. S. R. C. E. of Mrs.

60.62 Branch 7 Mrs. wide course East
80.25 81 Mrs. Smith of post

West Some fine blazed

40.12 Half mile post - C. Oak 22 ins. dia. bears S 72 W 25
Mrs. & a C. Oak 20 ins. dia. bears N 69 E 14 Mrs.

The 1st 60.00 knots - Oak, Buck and Hickory

North Between Sec. (No. 10 & 11)

28.00 Out of knots.

31.50 Branch 10 Mrs. wide course East

40.00 Half Mile post - Buck 14 ins. dia. bears S 26 E
24 Mrs. & a W. Oak 22 ins. dia. bears N 65 E 22 Mrs.

44.35 W. Oak 18 ins. dia

71.10 Down

75.88 Sugar trees on the bank of Silver creek on the
muddy fork 1.50 Mrs. wide course N 40 E.

80.00 Mile post - Lycamore 33 ins. dia. bears N 70 W 31 Mrs.
& a Lycamore 36 ins. dia. bears S 78 W 28 Mrs.
Level Oak, Buck, Poplar and Lycamore

East Between Sec. (No. 2 & 11)

.75 Bank of creek N 40 E.

22.75 Branch 15 Mrs. wide course N 50 E.

33.14 Buck 22 ins. dia

35.00 Branch 7 Mrs. wide course North

36.88 Post, the Grant line - Buck 23 ins. dia. bears
North 14 Mrs. & a Buck 10 ins. dia. bears S 18 W
15 Mrs. - Bottoms, Buck, Poplar & Oak

North Between Sec. (No. 21 & 22)

40.00 1/2 mile post - Chestnut Oak 10 ins. dia. bears S 26 W
25 Mrs. & a C. Oak 7 ins. dia. bears N 87 E -

57.88 Branch 6 Mrs. wide course West

77.50 Branch 15 " " "

80.00 Mile post - R. Oak 15 ins. dia. bears S 53 E 8 Mrs.

367

S. 1. L. R. 6. E. of Mer. Ind.

4 a B. Oak 24 ins. dia. bears N 61 W 21 lbs.
Brushy ridges - Oak, Poplar & Chestnut,

East Between Loc. No. 15 & 22 Random
02.10 Branch 10 lbs. wide courses S 50 W.
40.00 Temporary post
80.00 15 lbs. South of post

West True line Blazed
40.00 Half mile post - R. Oak 8 ins. dia. bears N 69 E
38 lbs. 4 a Chestnut 9 ins. dia. bears S 21 W 11 lbs.
Brushy Ledges, Oak, Poplar, Hickory & Chestnut

North Between Loc. No. 15 & 16
5.60 Brush to the knobs.
40.00 Half mile post - G. Oak, 23 ins. dia. bears N 69 E
46 lbs. 4 a W. Oak 9 ins. dia. bears N 59 W 15 lbs.
50.50 Chestnut 22 ins. dia
58.00 Top of knobs, continue to post
80.00 mile post - W. Oak 12 ins. dia. bears N 22 E
16 lbs. 4 a W. Oak 8 ins. dia. bears N 37 W 23 lbs
(The knobs are high & steep, Oak, Chestnut, Hickory
and Pine

East Between Loc. No. 10 & 15 Random
20.21 G. Oak 16 ins. dia
Here the knobs are so high & steep I can go
no farther than continue to the mile post
Blazed back.

North Between Loc. No. 9 & 10
2.75 Branch 10 lbs. wide
40.00 $\frac{1}{2}$ mile post - W. Oak 10 ins. dia. bears N 69 E 5 lbs
4 a G. Oak 20 ins. dia. bears N 47 E 24 lbs.
49.00 Foot of knobs
58.44 Chestnut 30 ins. dia

S. A. S. R. C. E. of Mrs.

Branch 15 lbs. wide course N 30 E.
 80.00 Mile post - Poplar 3 1/2 ins. dia. bears N 82 E 29 lbs.
 & a Beech 16 ins. dia. bears N 58 W 40 lbs.
 The last 31.00 Bottoms, Beech & Poplar - On the
 Hinds Oak & Hickory, some Pine

East Between Sec. Nos. 3 & 10. Random
 16.20 Branch 10 lbs. wide course North
 39.00 Do 6 " " " "
 40.00 Temporary post
 41.50 Branch 6 lbs. wide course North
 75.70 Creek 1.50 " " " S 20 E
 80.00 Hit the post

West True line Blazed
 40.00 1/2 mile post, Beech 12 ins. dia. bears S 75 E 21 lbs.
 & a Beech 10 ins. dia. bears N 59 E 20 lbs.
 Bottom - Beech and Poplar.

North Between Sec. Nos. 20 & 21
 24.50 Branch 20 lbs. wide course West
 40.10 1/2 mile post - W. Oak 18 ins. dia. bears S 69 E 55 lbs.
 80.00 Mile post on a barren ridge - a Gum 20 ins. dia.
 bears S 47.30 E 120 lbs. & a R. Oak dead S 71 E 20 lbs.
 All Barrens & brush - Oak & Hickory

East Between Sec. Nos. 21 & 16. Random
 10.50 Branch 6 lbs. wide course North
 40.00 Temporary post
 52.16 Branch 5 lbs. wide course North
 81.00 30 lbs. North of post

West True line Blazed
 40.50 1/2 mile post - R. Oak 12 ins. dia. bears N 20 E 94
 lbs. & a R. Oak 10 ins. dia. bears N 22 W 64 lbs.
 Brushy ridgy Oak & Hickory

S. L. R. C. E. of Mer. Ind.

369

North Between Sec. No. 31 & 32

20.00 R. Oak 22 ins. dia

27.50 Bottom 25.00

36.62 Branch 40 lbs. wide course West

40.00 Half mile post - Gum 10 ins. dia. bears S 42 E 16 lbs
& a Buck 12 S 24 W 18 lbs.

42.25 Road

46.50 Branch 25 lbs. wide course S. 10 E.

80.00 Mile post - Hickory 18 ins. dia. bears S 25 W 11 lbs
& a Buck 14 ins. dia. bears S 66 E 20 lbs.

East Between Sec. No. 29 & 32.

31.50 Branch 6 lbs. wide course South.

40.00 Temporary post

41.50 Road.

47.42 Branch 30 lbs. wide course S 50 W

81.00 2.00 lbs. North of the post

West True line Blazed

40.50 1/2 mile post - Buck 23 ins. dia. bears S 34 W 27 lbs
& a W. Oak 14 ins. dia. bears S 20 E 4 lbs.
Killy, Oak, Buck & Hickory

West Between Sec. No. 31 & 30

3.25 Branch 30 lbs. wide course South

12.50 Do 6 " " " "

40.00 1/2 mile post - Buck 22 ins. dia. bears S 59 E 52 lbs.
& a Poplar 20 ins. dia. bears S 23 W 21 lbs.

62.58 Chestnut 3 1/2 ins. dia

79.75 75 lbs. South of post - Hickory 14 ins. dia. bears
S 42 E 35 lbs. & a Chestnut 10 ins. dia. bears S 53 W
54 lbs. Hickory, Oak, Buck - Killy

North Between Sec. No. 29 & 30

15.75 Buck 16 ins. dia

S. A. S. R. C. E. of Mer.

- 28.50 To a Branch 20 lbs. wide course W.
 31.00 To a Do 10 S 30 Links
 40.00 Set 1/2 mile post, from which a Buck 15 ins. dia. bears
 North 24 lbs. & a Buck 10 ins. dia. bears S 5 E 11 lbs
 68.50 Branch 4 lbs. wide course South
 80.00 Mile post, from which a W. Oak 18 ins. dia. bears S 24
 E 16 lbs. & a W. Oak 7 ins. dia. bears N 32 W 16 lbs. Hilley
 some bottom on the branches. Oak, Buck & Hickory
 some Poplar.

- East Between Sec. No. 20 & 29. Random
 40.00 Set the temporary 1/4 sec. post
 52.25 Branch 12 lbs. wide course S 50 W
 81.00 2.06 lbs. N. of post

- West True line Blazed
 40.50 Set the 1/2 mile post from which a Gum 18 ins. dia. bears
 S 80 E 90 lbs. Hilley some bottom. Oak Buck Poplar
 & Hickory very brushy

- West. Between Sec. No. 19 & 30
 17.00 Branch 6 lbs. wide course South
 * the balance of this is line is found in last page of Township
 North Between Sec. No. 19 & 20. S. A. S. R. C. E.
 40.00 Set 1/2 mile post, from which R. Oak 8 ins. dia. bears
 S 73 E 11 lbs. & R. Oak 9 ins. dia. bears N 8 W 23 lbs.
 80.00 Mile post on the top of the knobs from which a
 R. Oak 20 ins. dia. bears S 72 E 31 lbs. & a Poplar 10 ins.
 dia bears S 18 W 20 lbs. Low ridges brushy - Oak
 Poplar & Hickory

- West Between Sec. No. 18 & 19
 37.50 Branch 6 lbs. wide course North
 40.00 Set 1/2 mile post on the East side of a steep hill
 79.96 251 lbs. S. of post, from which a Hickory 10 ins. dia
 bears N 32 W 9 lbs. & a Do. 10 ins. dia. bears S 49 W 21 lbs

371

T. A. S. R. C. E. of Mo. Ind.

Over high knolls - Oak & Hickory

North Between Sect. Nos. 17 & 18. T. A. S. R. C. E.
 29.00 Branch 6 lks. wide course N 40 W
 26.68 To a Beech 18 ins. dia.
 40.00 Set $\frac{1}{2}$ mile post from which a R. Oak 12 ins. dia. bears
 S 88 E 16 lks. & a C. Oak 16 ins. dia. bears S 9 W 29 lks.
 67.00 Branch 6 lks. wide course N 40 W
 80.00 Set mile post, from which a Chestnut 14 ins. dia. bears
 S 54 E 18 lks. & a C. Oak 12 ins. dia. bears S 68 W 33 lks.
 High Knolls - Oak, Chestnut & Hickory

West Between Sect. Nos. 7 & 18. T. A. S. R. C. E.
 11.12 a Branch 6 lks. wide course N.
 40.00 Set the $\frac{1}{2}$ mile post, from which a W. Oak 12 ins. dia. bears
 N 73 E 20 lks. & a B. Oak 21 ins. dia. bears N 10 E 31 lks.
 64.38 a Branch 20 lks. wide course N.
 78.62 4.79 lks. S. of post, from which a R. Oak 12 ins. dia. bears
 S 17 W 24 lks. & a R. Oak 6 ins. dia. bears N 6 W 26 lks.
 High Knolls - Oak & Hickory

East Between Sect. Nos. 17 & 20, Random
 40.00 Set temporary $\frac{1}{4}$ sec. post
 80.76 180 lks. N. of post.

West True line Blazed
 40.38 Set the $\frac{1}{2}$ mile post, from which a C. Oak 13 ins. dia.
 bears N 89 E 26 lks. & a R. Oak 7 ins. dia. bears N 45 W
 37 lks. - Brushy ridges - Oak & Hickory

North Between Sect. Nos. 16 & 17. T. A. S. R. C. E.
 23.88 To R. Oak 14 ins. dia.
 25.00 Top of knolls
 40.00 Set the $\frac{1}{2}$ mile post, from which a C. Oak 16 ins. dia. bears
 S 86 E 16 lks. & a Hickory 4 ins. dia. bears S 13 W 24 lks.
 44.48 To a C. Oak 16 ins. dia.

S. I. S. R. C. E. of Mer.

80.00 mile post, from which a W. Oak 12 ins. dia. bears
 N 30 W 30 lbs & a W. Oak 16 ins. dia. bears S 74 E
 24 lbs. Hilley Oak & Hickory, poor land.

East Between Sec. No. 9 & 16. Random
 26.30 Branch 8 lbs. wide course N 40 W
 40.00 Temporary post
 77.50 Branch 6 lbs. wide course S 30 W
 81.00 6 lbs. N. of post

West True line Blazed
 40.50 1/2 mile post, from which a W. Oak 13 ins. dia. bears
 S 67 W 14 lbs & a W. Oak 20 ins. dia. bears N 48 W 44 lbs.

North Between Sec. No. 8 & 9.
 19.90 a W. Oak 20 ins. dia
 25.75 Branch 12 lbs. wide course West
 35.95 1/2 mile ^{do} post - W. Oak 12 ins. dia. bears N 54 W 12
 40.00 lbs. & a W. Oak 13 ins. dia. bears S 81 E 25 lbs
 57.50 Bottom to the post
 71.50 Creek 130 lbs. wide course East
 80.00 mile post, Beech 22 ins. dia. bears N 79 W
 28 lbs. & a Beech 12 ins. dia. bears S 2 W 13 lbs.

East Between Sec. No. 8 & 17. Random
 34.50 Branch 7 lbs. wide course West
 40.00 Temporary post
 55.82 Branch 6 lbs. wide course North
 68.12 Branch 7 " " " "
 80.75 156 lbs. North of post

West True line Blazed
 40.37 1/2 mile post, W. Oak bears S 79 E 18 lbs. & a W. Oak
 12 ins. dia. bears N 89 E 48 lbs.
 High hill & knobs. Oak chestnut & Hickory

S. A. S. R. Co. of Mer. Ind.

373

North Between Sec. No. 7 & 8.

33.50 To a small branch at the feet of the knobs
40.00 1/2 mile post, Beech 8 ins. dia. bears N 30 W 7 lbs.
 & a Beech 10 ins. dia. bears S 15 E 14 lbs.

69.25 creek 100 lbs. wide course E.

80.00 Mile post, Beech 8 ins. dia. bears N 30 W 17 lbs.
 & a Beech 20 ins. dia. bears S 13 E 8 lbs. Runs to
 the Branch then bottom - Beech and Oak

East Between Sec. No. 5 & 8. Random

40.00 Temporary post

80.00 160 lbs. North of post

West True line blazed

40.00 1/2 mile post - Beech 33 ins. dia. bears N 46 E -
 & a Beech 16 ins. dia. bears S 11 E 20 lbs. All
 Bottom, Beech, Poplar & Oak, some Sugar tree

East Between Sec. No. 4 & 9. Random

138 Creek 150 lbs. wide course N 70 E.

40.00 Temporary post

81.38 90 lbs. North of the post.

West True line Blazed

40.69 1/2 mile post - Beech 15 ins. dia. bears S 58 W 30 lbs.
 & a Beech 7 ins. dia. bears S 49 E 17 lbs. - Bottom
 Beech, Poplar & Oak, some Sugar-tree.

North Between Sec. No. 3 & 4

35.50 Creek 150 lbs. wide course East

40.00 1/2 mile post. Beech 12 ins. dia. bears N 53 W 10 lbs.
 & a Poplar 34 ins. dia. bears S 3 E 14 lbs.

47.00 Poplar 30 ins. dia

83.00 Wood's Road

85.50 Drain East

95.50 Upland to the line

S. 1. S. R. C. E. of Mer.

124.50 White Oak 18 ins. dia.

146.23 5.12 East of post. White Oak 13 ins. dia. bears
S 18 W 4 lbs. & a W. Oak 8 ins. dia. bears N 54 E 14
lbs. Bottom & Upland, Oak Poplar & Beech

North Between Sect. No. 4 & 5.

17.90 Branch 50 lbs. wide course S 30 E

19.78 Lycamore 36 ins. dia

29.50 Same branch twice S 10 W

40.00 1/2 mile post, Gum 8 ins. dia. bears S 70 E 7 lbs.
& a Beech 12 ins. dia. bears N 3 W 3 lbs.

43.50 Upland to the live

51.88 Woods' Road

59.75 Poplar 36 ins. dia.

92.38 Branch 6 lbs. wide course S 30 E

134.00 Do 10 " " " East

140.73 Do 15 " " " S 30 E

145.00 3.33 lbs. East of post - Beech 12 ins. dia. bears S 36
E 11 lbs & a Beech 8 ins. dia. bears N 77 W 14 lbs.
Oak, Beech & Poplar

West Between Sect. No. 6 & 7

40.00 1/2 mile post, Sugar tree 24 ins. dia. bears N 39
W 10 lbs & a Beech 18 ins. dia. bears S 27 W 36 lbs.

41.43 a Creek 120 lbs. wide course South

75.00 4.00 lbs. South of post, Sassafras 6 ins. dia. bears
N 48 E 14 lbs. & a W. Oak 6 ins. dia. bears N 39 W 10 lbs.
All bottom Beech, Poplar & Oak

North Between Sect. No. 5 & 6

8.30 Upland

21.10 Wood Road

26.65 W. Oak 30 ins. dia

40.00 1/2 mile post - Hickory 13 ins. dia. bears S 10 W
28 lbs. & a W. Oak 12 ins. dia. bears S 31 E 31 lbs.

52.00 Branch 6 lbs. wide course S 40 E

375

G. 1. S. R. C. E. of Mer. Ind.

80.00 To the Knots.

142.78 Q. 31 Mer. East of post. L. Oak 7 ins. dia. bears
N 38° W 14 Mer. & a L. Oak 6 ins. dia. bears N 66° E 27 Mer.
Buck in the bottom - upland Oak - Knots
Oak, Pine & Chesnut.

Surveyed by

Jacob. Fowler

Deputy Surveyor

* 40.00 1/2 mile post. W. Oak 10 ins. dia. bears N 88° W 8 Mer.
& a B. Oak 10 ins. dia. bears N 62° E 7 Mer.

67.15 B. Oak 22 ins. dia

78.77 1.87 South of post Dogwood 10 ins. dia. bears N 44°
W 4 Mer. & a Chesnut 16 ins. dia. bears S 88° E 22 Mer.
Low Brushy Ridge Oak, Poplar & Chesnut

I certify that the foregoing Transcript
of the Field notes of Township No. 1 South,
Range No. 6 East of the Mer. has been compared
with the original in this office & found
to be correct.

Surveyor General's Office
Cincinnati, Feb. 12. 1841

E. S. Leaning
Deputy

T. L. R. C. D. Mer. Indiana

North Between Sec. 2 & 3, T. 1 S. R. 6 E.

37.00 a Beech 20 in. dia.

40.00 at the q. Sec. post, from which
a Beech 22 in. dia. bears S 30 E 7 1/2 m. dist. &
a Do 10 " " " N 27 W 12 " .

53.20 at a post in the Grant line, from which
a Beech 10 in. dia. bears N 30 W 4 1/2 m. dist. &
a Do 14 " " " — 52 W 32 . .

Bottom Beech, Poplar & Ash

Surveyed by Jacob Fowler, A. S.
